BURKHOLDER, PAUL R. AND GEORGE H. BORNSIDE: Decomposition of marsh grass by aerobic marine bacteria, 366
By-laws of the Torrey Botanical Club, 124
Cakile edentula, 57
Calamagrostis, 50, 107, 119; *canadensis*, 50
Calla, 53; *palustris*, 53, 452
Calopogon, 56; *puchellus*, 56
CAMP, WENDELL H.: (Review) 397
Cananga odorata, 155
CAPPELLINI, RAYMOND: (Book Review) 458
Capsicum, 413; *annuum*, 413, 416, 417, 418, 419, 420; var. *baccatum*, 418 var. *minus*, 418; *baccatum*, 418, 419; *frutescens*, 413, 415, 416, 417, 419, 420; var. *baccatum*, 418; *luteum*, 415, *microcarpum*, 419, 420; *pendulum*, 413, 416, 419, 420; *pubescens*, 413, 416, 420; *sinense*, *413*, *414*, 415, 416, 417, 418, 419, 420; *umbilicatum*, 415
Capsicum sinense Jacq., Taxonomy of and the geographic distribution of the cultivated *Capsicum species*, 413
Carex pensylvanica, 201, 202, 203
Carya, 168; *buckleyi* var. *Arkansana*, 171; *ovalis*, 199; *ovata*, 199
Cassia glauca, 69
CELARIER, ROBERT P.: *Elyonurus argenteus*, a South African grass with five chromosome pairs, 157
Cenchrus, 107, 119; *setigerus*, 107
Cercis, 69
Chaetochloa, 94; *gibbosa*, 99; *leucopila*, 101; *macrostachya*, 99; *polystachya*, 103; *rigida*, 101; *villosissima*, 95
Chaetocladium, 31, 32, 37, 39, 41, 43; *brefeldii*, 35, **39**; *brefeldii* var. *macrosporum* 39; *fresenianum*, *38*; *fresenii*, *38*; *jonesii*, **38**; var. *macrosporus* 40
Chaetostylum, 31, 32, 33, 34, 36, 37, 43; *circinana*, 37; *echinatum*, *33*; *fresenii*, 31, 32, 33, 34, 36, 38, 39; *fresenii* var. *macrosporum*, *33*, 36
Chamaeraphsis macrostachya, 99; *setosa* var. *macrostachya*, 99
CHAMPNEYS, HARCOURT P.: Encylopedia of roses and rose culture (Review), 322
Chateachloa scheelei, 103
Chelidonium, 313
Chlorochytrium gloeophilum, 453
Cicer arietinum, 69
Circaea quadrisulcata, 201
Claytonia virginica, 201
Clermontia, 175
Clethra alnifolia, 452
COBB, BOUGHTON: A field guide to ferns (Review), 321
Codium, 384, 385, 386, 387; *fragile*, 387; subsp. *tomentoides*, 384
Codium, the occurrence of, in Long Island waters, 384
CODY, W. J.; Ferns of the Ottawa District (Review), 322
Coix, 157, 161
Cokeromyces, 31
Coleus blumei, 233, 234
Conidiobolus, 268, 269; *nanodes*, 271; **paulus**, **269**, **270**, 271, **272**, 273, 274, 277, 279, 280; *pumilus*, 271, 273; *rugosus*, 280; **undulatus**, **275**, **276**, 277, **278**, 279, 280
CONSTANCE, LINCOLN: (Review), 58; Four notable Umbelliferae from Peru, 189
Constitution and By-laws of the Torrey Botanical Club, 122
Cordyceps, 243; *agariciformia*, 248; *canadensis*, 243, **244**, 245, 249, 250; *capitata*, 243, **244**, 245, 246, **247**, 248, 249, 250; var. *canadensis*, 246; *fracta*, 244, 245, 250, 251; *intermedia*, 243, 251; *japonica*, 243, 244, 245, **246**, 247; *jezoensis*, 243, 247, 250; *nigriceps*, 243, *247*, 248; parasitica, 245; **tenuispora**, **244**, 245, *ophioglossoides*, 243, **244**, **245**, 249, 250; **247**; *umemurai*, *246*; **valliformis**, 245, **250**, 251
Cornus canadensis, 57; *florida*, 199
Cotopaxia, 197
COUPLAND, R. T.: (Review), 138
Crataegus, 204
CROCKETT, LAWRENCE J.: A study of the tunica corpus and anneua initial of irradiated and normal stem apices of *Nicotiana tabacum* L., 229
CURTIS, WINIFRED M.: The student's flora of Tasmania. Part 1. (Review), 58
Cuscuta, 429; *brevistyla*, 430; *epithymum*, 430; **rhodesiana**, **429**
Cuscuta, new from South Africa, 429
Cyanea, 175
Cynanachum, 47; *barbatum*, 47; *fuscatum*, 47; *luteum*, 47; *medium*, 47; *nigrum*, 47; *Vincetoxicum*, 47
Cypripedium acaule, 452; *calceolus* var. *pubescens*, 452
DANSEREAU, PIERRE: Biogeography: An ecological perspective (Review), 395
Decodon verticillatus, 452
Delacroixia coronata, 268
Delissea, 175

DESJARDINS, PAUL R.: A glass support for plant tissue pieces cultured in liquid medium, 29
Digitaria valida, 361, 362, 363, 364
Diseases of field crops (Review), 457
Ditaxis, 423; *acaulis*, 422; *cuneifolia*, 423; *Jablonszkyana*, 423; *malphighipila*, 423; *rhizantha*, 423; *rosularis*, 423; *salina*, 423; *Sellowiana*, 423
DODGE, B. O.: Rib formation in ascospores of *Neurospora* and questions of terminology, 182; Oil drops and DeBary "bubbles" in ascospores, 431
Drawings of British plants (Review), 458
DRECHSLER, CHARLES: Two small species of *Conidiobolus* forming lateral zygospores, 268
Dulichium, 452
DUGGAR, BENJAMIN MINGE: (Obituary), 308
Ecology of the Watchung Reservation (Review), 456
Elaphomyces, 243, 247; *appalachensis*, 251; *cervinus*, 246, 247, 250; *granulatus*, 246, 247, 249; *japonica*, 246; *muricatus*, 246, 249; sp., 246, 247, 249, 250; *variegatus*, 246
Elyonurus, 157, 158, 161; *argenteus*, 157, 159, 160, 161
Elyonurus argenteus, a South African grass with five chromosome pairs, 157
EMERY, WILLIAM H. P.: A cyto-taxonomic study of *Setaria macrostachya* (Gramineae) and its relatives in the Southwestern United States and Mexico, 94; A study of reproduction in *Setaria macrostachya* and its relatives, 106; AND WALTER V. BROWN: Extra-ovular development of embryos in two grass species, 361
Empusa, 269
Entomophthora, 269
Equisetum, 178, 179, 180
Equisetum, the stomatal apparatus of, 178
Eryngium eurycephalum, 194, 196; *Delarocheanum*, 194, 196; *horridum*, 194; *Humboldtii*, 194; *Malmeanum*, 194, 196; *megapotamicum*, 194, 196; *paniculatum*, 194, 196; **Rauhianum, 192, 193,** 196
Eu-Pseudoleskea, 286
Extra-ovular development in two grass species, 361
Fagus grandifolia, 199
FAIRBROTHERS, DAVID E.: (Review), 320
FASSETT, NORMAN C.: A manual of aquatic plants (Review), 320
Festuca obtusa, 452
Field trip reports, 56, 134, 318, 394, 452
Fingerhuthia africana, 361, 362, 363, 364
Flagellaria, 90, 92, 93; *guineensis*, 90, **91,** 92
Flavobacterium, 370, 381
Floral morphology in *Asimina triloba* Dunal I. Development of ovule and embryo sac, 151
Fraxinus americana, 199
Galium, 361; *aparine*, 201
Ganoderma, 426, 427; *lucidum*, 424, 425, 426, 427, 428
Gaultheria hispidula, 57
Gelasinospora tetrasperma, 440
Gibberellin, some cytological effects of, 356
Glass support for plant tissue pieces cultured in liquid medium, 29
Gleichenia pectinata, 265
Glycine max, 69, 70
Grafts, male and female of *Mercurialis annua*, 1
Guilandinia, 69
Gymonota, 196
Gymnocladus, 69
Habenaria fimbriata, 57
HARLEY, WINIFRED J.: Ferns of Liberia (Review), 321
HAUKE, RICHARD L.: The stomatal apparatus of *Equisetum*, 178
Helicostylum, 31, 32, 37; *elegans*, 32, 37; *nigricans*, 32
HELSOP-HARRISON, J.: New concepts in flowering-plant taxonomy (Review), 139
HESSELTINE, C. W. AND PATRICIA ANDERSON: Two genera of molds with low temperature growth requirements, 31
Hieracium, 172
Hilaria, 118; *belangeri*, 118; *mutica*, 118
HIRES, CLARA S.: (Review), 321, 322
Histogenesis of the leaf structure of the shoot apex in *Glycine max* (L.) Merrill, 163
Hutcheson Memorial Forest, plant communities of, 198
Hydrocotyle, 192; **Macbridei, 191, 192; nixoides, 192**
Hylocomium, 342
Hypnum atrovirens, *281* 289, 290; *congestum*, 281, *297*; *filamentosum*, *281*, 290; *incurvum*, 290; *mutabile*, 281; *plicatum*, 281, *339*; *radicosum*, *297*, 339; var. *gracilis*, *337*; *rugulosum*, *339*; *tenax*, 281, *297*
Hypoxylon fuscum, 432

Impatiens capensis, 202
Index to American botanical literature, 59, 141, 219, 324, 398, 459
INGRAM, JOHN: New names in *Argythamnia* subgenus *Ditaxis*, 421
Isothecium striatum, 345; var. *saxicola*, 346
Iva frutescens, 57
Juglans cinerea, 452
Juncus effusus, 203, 204
Juniperus virginiana, 204
KARLING, JOHN S.: *Synchytrium cinnamomeum*, 237
Lachnea, 435, 438, 440; *abundans*, 431, 435, 436, 439, 440, 441
LAMPTON, ROBERT K.: Floral morphology in *Asimina triloba* Dunal I. Development of ovule and embryo sac, 151
LANGE, CLARENCE T. AND PAUL R. DESJARDINS: A glass support for plant tissue pieces cultured in liquid medium, 29
Lathyrus latifolius, 69; *odoratus*, 69
LAWTON, ELVA: A revision of the genus *Lescuraea* in Europe and North America, 281, 337
LEHR, J. HARRY: An annotated preliminary catalogue of the vascular flora of Rockland County, New York, 48, 126, 206, 310, 388, 450
Leptohymenium striatum, 345
Lescuraea, 281, 282, 283, 284, 285, 297, 344, 346, 351, 352; *atricha*, 285, 304, 306, 307, 344; *atrovirens*, 290; var. *Saviana*, *295*; **baileyi**, 282, 283, 285, **342**, 343, 344, 346; *denudata*, *303*; var. *hyperborea*, 303; *filamentosa*, 290; *frigida*, *346*, 349; **iliamniana**, 282, 283, 284, 285, 344, **349**, 350, 351, 352; imperfecta, 337; *incurvata*, 282, 285, 286, 290, 293, 294, 295, 296, 306, 351; var. *filamentosa*, 294; var. **gigantea**, 285, 292, 293, **294**, 352; var. *incurvata*, **291**, **292**, 293, 294; var. *tenella*, 293, *294*; var. **tenuiretis**, 293, **294**; *insignis*, *346*; *julacea*, 351; *mutabilis*, *345*; var. *decipiens*, *346*; *patens*, 281, 285, 287, **288**, 290, 291, 293, 295, 297, 307, 337, 339, 348, 351, 352; var. *gigantea*, 291; var. *incurvata*, 291; var. *tenuiretis*, 291; *plicata*, 285, 339, 341, 344, 346; *radicosa*, 282, 293, 294, 297, 301, 302, 305, 306, 339, 342, 351; var. *balanica*, 306; var. *compacta*, 286, 298, 299, 305; var. *denudata*, 285, 294, 299, 302, 304, 305, 341; var. *pallida*, 286, 298, 299, 306; var. *Pfundtneri*, *297*; var. *radicosa*, 286, 298, 299, 301, 302, 305, 306; f. *bernardensis*, 299, 301; f. *holzingeri*, 299, 302, 305; f. *jemtlandica*, 299, 301; f. *radicosa*, 299; *rigescens*, *337*; *saviana*, 285, 286, 292, 295, 296, 297, 307, 351; var. *meridionalis*, 296; *saxicola*, 281, 285, 346, 347, 348, 349, 350, 351, 352; *stenophylla*, 284, 285, 286, 287, 301, 307, 337, 338, 339, 352; *striata*, 281, 285, *345*, 346, 348, 349, 350; var. *saxicola*, 281, *346*
Leskea atrovirens, 290; *brachyclados*, *296*; *catenulata* var. *acuminata*, 351; *filamentosa*, 290; *incurvata*, 281, 287, 289; var. *brachyclados*, 296; *mutabilis*, *345*; (?) *patens*, 287; *rigescens*, 281, *337*; *Saviana*, *295*
Leskeella, 282
Lesquereuxia, *281*, 282; *atrovirens*, 287; var. *patens*, 287; *filamentosa*, 281, 290; *glacialis*, 351; *mutabilis*, 345; *patens*, 287; *plicata*, 281, *340*; *robusta*, 282, 344; *saxicola*, 281, 346
Leucothoe racemosa, 200, 202
Linaria vulgaris, 204
Lindera benzoin, 200, 202
Linnaea borealis, 57
Lisianthus, 46; *axillaris*, 46; *brevidentatus*, 46; **petenensis**, **46**
Lisianthus, New from Guatemala, 46
Lobeliod, Rediscovery of a rare, *Brighamia insignis* forma *citrina*, 175
Lolium multiflorum, 204
Lonicera japonica, 204
Lupinus, 70, 190; *albus*, 69; *dunetti*, 69; *grandiflorus*, 69; *hybridus*, 69; *mutalilis*, 69; *nanus*, 69
Luzula campestris, 202
Lycopodium adpressum, 57; *tristachyum*, 452
Macounia sciuroides, 297
MAINS, E. B.: Species of *Cordyceps* parasitic on *Elaphomyces*, 243
Marattia Douglasii, 176
Marine algae of the Northeastern coast of North America (Review) 454
Marsilea, 86; *quadrifolia*, 452
Marsh grass, Decomposition of, by aerobic marine bacteria, 366
MARTIN, WILLIAM E.: (Review), 320; (Review), 396
Maschalocarpus striatus, 345
Massospora, 269
MATHIAS, MILDRED E. AND LINCOLN CONSTANCE: Four notable Umbelliferae from Peru, 189
MCCORMICK, JACK: (Review), 320

Melilotus alba, 204, 361; *officinalis*, 204, 361
Mercurialis annua, 1, 3, 7, 8
Microsynchytrium, 237, 241, 242
Mimosa, 69, 70; *pudica*, 69
Misra G. and G. Sahu: Physiology of growth and reproduction in Rice. I. Effect of plant growth substances on an early variety, 442
Molds with low temperature growth requirements, 31
Monachino, Joseph: *Cynanchum* in the New York area, 47
Monk, Karl D.: Plant communities of Hutcheson memorial forest based on shrub distribution, 198; (Review), 323
Morgan, E.: The occurrence of *Codium* in Long Island waters, 384
Morus, 127, 168; *alba*, 127, 171, 172
Moul, E. T.: (Review), 139
Mucor, 34; *mucedo*, 32
Murdy, William H. and Henry N. Andrews, Jr.: A study of *Botryopteris globosa* Darrah, 252
Myrica, 126; 452; *pensylvanica*, 126, 204
Nandina, 92; *domestica*, 92
Neckera striata, 345
Nelson, John J.: (Review), 322, 396
Neurospora, 182, 185, 186, 187, 431, 432, 434, 436, 438, 439, 440; *crassa*, 183; *sitophila*, 438; *tetrasperma*, 183, 186; 433, 435, 438
Nicotiana tabacum, 229, 230, 231, 233, 236
Niering, William A.: (Review), 457
Niphogeton, 197
Northen, Henry T.: The complete book of greenhouse gardening (Review), 396
Notes, 215, 396
Nuphar, 129; *advena*, 129
Nymphaea, 130; *odorata*, 130
Nyssa sylvatica, 202
Oil drops and DeBary "bubbles" in ascospores, 431
Onoclea sensibilis, 203
Oosting, Henry J.: Life forms as age indicators (Review), 318; The study of plant communities (Review), 320
Opulus, 57
Opuntia cylindrica, 171
Papenfuss, George F.: (Review), 454
Panicum, 107, 119; *macrostachyum*, 99; *maximum*, 107, 110; *scheelei*, 103
Paraselinum, 189, 197; **Weberbaueri, 195, 197**
Paspalum, 107; *dilatatum*, 107
Patella, 440; *abundans*, 435
Paxina, 431
Pennisetum, 107, 119; *ciliare*, 107, 111, 115, 362; *clandestinum*, 107; *orientale*, 107; *ramosum*, 107; *setaceum*, 107; *villosum*, 107
Penthorum, 133; *sedoides*, 133
Peziza abietina, 431; *melaena*, 431
Phaseolus, 70; *multiflorus*, 69; *vulgaris*, 69, 361
Phenolase and polyphenolase studies in the development of endodermis in the genus *Smilax*, 9
Philadelphus, 361
Picea engelmanni, 204
Pinus ponderosa, 204; *rigida*, 57; *thunbergii*, 57
Pirone, P. P., *Ganoderma lucidum*, a parasite of shade trees, 424
Pisum, 70; *salvatum*, 75; *sativum*, 69, 70
Plant classification (Review), 454
Plantago lanceolata, 204
Pleurage curvicolla, 432
Poa, 107, 119; *annua*, 116; *laxa* subsp. *flexuosa*, 119; *trivialis*, 203
Podophyllum pelatum, 201
Polygonatum biflorum, 201
Polygonum, 203
Polyporous lucidus, 424
Polytrichum ohioense, 204
Potentilla simplex, 204
Proceedings of the club, 122, 213, 317, 392
Prunus avium, 199; *serotina*, 200, 201; *virginiana*, 200, 201
Pseudoleskea, 281, 282, 283, 285, 286, 342, 344, 352; *arizonae*, 351; *Artariae*, 351; *atricha*, 306; *atrovirens*, 281, 287, 290, 296, 307, 348, 351; *atrovirens* spp. *atrovirens* var. *illyrica*, 295; *atrovirens* subsp. *filamentosa*, 290; *atrovirens* subsp. *tenella*, 351; *atrovirens* var. *atricha*, 306; *atrovirens* var. *brachyclados*, 296, 351; *atrovirens* var. *patens*, 287; *atrovirens* var. *tenella*, 290; *Baileyi*, 342; *bicolor*, 297, 300; *brachyclados* subsp. *borealis*, 351; *Breidleri*, 303; *catenulata*, 281; *congesta*, 281, 297; *decipiens*, 348, 349; *denudata*, 303, 305; *denudata* var. *Holzingeri*, 302; *falcicuspis*, 297, 351; *filamentosa*, 290, 294, 295; *filamentosa* (*incurvata*), 296; *filamentosa* var. *meridionalis*, 295; *filamentosa* var. *tenella*, 295; *filamentosa* var. *tenuiretis*, 294; *frigida*, 346; *heterocladioides*, 287; *howei*, 297; *hyperboreum*, 303; *illyrica*, 295, 297; *incurvata*, 290; *jemtlan-*

dica, 301; *Liebmanii*, 281; *oligoclada*, 290, 291, 292, 293, 294; *pallida*, 305, 306, *pallida* var. *filescens*, 351; *patens*, 281, 287; *plicata*, 340; *plicata* subsp. *rhaetica*, 340; *plicatum* var. *erectum*, 340; *plicatum* var. *rhaeticum*, 340; *radicosa*, 296, 297, 302, 351, 352; *radicosa* forma *radicosa*, 301; *radicosa* spp. *Saviana*, 295; *radicosa* var. *bernardensis*, 301; *radicosa* var. *jemtlandica*, 301; *radicosa* var. *meridionalis*, 295; *radicosa* var. *radicosa* f. *jemtlandica*, 301; *radicosa* var. *tenella*, 297; *rigescens*, 337, 339, 352; *rigescens* var. *Howei*, 297; *Saviana*, 295; *sciuroides*, 297; *sciuroides* subsp. *denudata*, 303; *sciuroides* var. *denudata*, 302; *stenophylla*, 301, 337, 339; *striata*, 345; *striata* var. *saxicola*, 346; *subfalcata*, 352; *substriata*, 307, 346, 349; *ticinensis*, 293, 352

Pseudoleskeella, 282, 351; **arizonae**, **351**; **catenulata** var. **filescens**, 352

Pseudoleskeopsis, 282; *Artariae*, 351

Pseudomonas 370, 377, 378, 379, 381

Pseudotsuga taxifolia var. *glauca*, 204

Ptelea trifoliata, 452

Pterigynandrum mutabile, 345; *striatum*, 345

Pterogonium striatum, 284, 345

Ptychodium, 281 282, 352; *abbreviatum*, 352; *albidum*, 352; *decipiens*, 281, 346; *erectum*, 340; *hyperborea*, 302; *hyperboreum*, 302; *oligocladum*, 281, 302; *pallescens*, 352; *Pfundtneri*, 281, 297; *plicatum*, 281, 340; *trisulcatum*, 352

Puccinia graminis, 187

Pycnochytrium, 237, 242

Quercus, 275, 277; *alba*; *bicolor*, 202; *brittonii*, 57; *coccinea*, 201; *palustris*, *rubra*, 199; *saulii*, 57; velutina, 199

Ranunculus, 240, 242; *recurvatus*, 237; *subrigidus*, 452

Rauia subcatenulata, 281

Reading the landscape (Review), 458

Reproduction in *Setaria macrostachya*, 106

Rhododendron viscosum forma *glaucum*, 452

Rhus radicans, 200, 203; *vernix*, 57

Rice, Physiology of Growth and Reproduction in I. Effect of plant growth substances on an early variety, 442

RICKETT, H. W.: (Review), 140; (Review), 396; (Review), 458

ROBBINS, WILFRED W.: Botany: an introduction to plant science (Review), 323

Robinia Pseudo-Acacia, 69

Rockland County, New York, An annotated preliminary catalogue of the vascular flora, 48, 126, 206

Rollandia, 175

Rubus, 202

Saccharum, 107

Salsola kali, 57

Sambucus canadensis, 203

SCHWARTEN, LAZELLA: Index to American Botanical Literature, 59, 141, 219, 324, 398, 459

Scrophularia nodosa, 171

Selaginella apoda, 452

Serratia, 369, 370, 371, 372, 377, 378, 379, 380, 381

Setaria, 51, 94, 105, 106, 107, 116, 119; *berlandieri*, 99; *gibbosa*, 99; *italica*, 94, 106; **leucopila**, 94, 95, 99, 100, **101**, 102, 103, 104, 105, 106, 109, 110, 111, 112, 113, 115, 116, 117, 118, 119, 120; **macrostachya**, 94, 95, 97, 98, **99**, 100, 101, 102, 103, 105, 106, 107, 109, 110, 111, 114, 116, 117, 118, 119; *polystachya*, 103; *rigida*, **101**; **scheelei**, 94, **95**, **103**, 104, 105, 106, 110, 111, 112, 115, 116, 117, 119; *setosa*, 98; **texana**, 94, 95, **97**, 98, 99, 100, 102, 103, 105, 106, 109, 110, 111, 115, 116, 117; **villosissima**, 94, **95**, 96, 97, 105, 106, 109, 110, 111, 113, 115, 117, 118, 119, 120, 362; *vulpiseta*, 99

Smilacina racemosa, 201

Smilax, 9, 10, 13, 16, 20, 21, 23, 25, 27; *auriculata*, 10, 14, 16; *Bona-nox*, 10, 16, 17, 18, 23, 24; *Bona-nox* var. *littoralis*, 10; *californica*, 9, 11; *ecirrhata*, 11; *glauca*, 10, 15, 16, 18; *havanensis*, 10, 13, 14, 16; *herbacea*, 11; *hispida*, 10, 12, 14, 16, 23, 24; *hispida* var. *hispida*, 10, 12, 13, 16, 23; *hispida* var. *montana*, 10, 12, 13, 14; *lanceolata*, 10, 13, 14, 16; *lasioneuron*, 11; *laurifolia*, 10, 13, 16, 17; *pumila* 10, 17, 18; *rotundifolia*, 10, 12, 13, 16, 17, 18, 23, 200, 202; *rotundifolia* var. *montana*, 12; *Walteri*, 10

SMITH, PAUL G. AND CHARLES B. HEISER, JR.: Taxonomy of *Capsicum sinense* Jacq. and the geographic distribution of the cultivated Capsicum species, 413

Solidago, 204

Sordaria, 431, 432; *fimicola*, 432

Sorghum, 157, 158, 161; *intrans*, 158; *stipoideum*, 158

Spartina, 366, 367, 373, 375, 376, 381, 382, 383; *alterniflora*, 366

SPEESE, BERNICE M.: *Flagellaria guineensis*, 90

Sphaeria capitata, *247*, 248; *ophioglossoides*, 245
Spongomorpha arcta, 386
Spontaneous production of a morphologically distinct, fertile allopolyploid by a sterile diploid of *Asplenium Ebenoides*, 79
STANDLEY, PAUL C. AND JULIAN A. STEYERMARK: A new *Lisianthus* from Guatemala, 46
STONE, BENJAMIN C.: Rediscovery of a rare lobelioid, *Brighamia Insignie* forma *Citrina*, in Kauai, Hawaiian Islands, 175
Streptopus amplexifolius, 57; *roseus*, 57
SUN, C. N.: Zonation and organization of root apical meristem of Glycine Max., 69; Histogenesis of the leaf structure of the shoot apex in *Glycine max* (L.) Merrill, 163
Symplocarpus foetidus, 53, 202
Synchytrium, 241, 242; *andinum*, 242; *brownii*, 241; *cinnamomeum*, 237, 238, 239, 240, 241, 242; *endobioticum*, 240; *holwayi*, 240; *ranunculi*, 242; *succisae*, 239; *variabilum*, 240, 242
Syringa, 172
Thamnidium, 31, 32, 33; *chaetocladioides*, 31, *33*; *elegans*, 31; *fresenii*, 33
Thesium, 361
Thuja plicata, 204
Torrey Botanical Club, Constitution and By-laws, 122
Torreya, 47, 122, 198, 308, 388, 450
Torrubia capitata, 248; *parasitica*, 245
Tradescantia, 171
Trematolobelia, 175
Trichocereus spachianus, 171
Tricholeskea, 282, 285
Trifolium hybridum, 204; repens, 70
Tripsacum, 107
Tsuga hetedophylla, 204
Tunica corpus and anneau initial of *Nicotiana tabacum*, 229
Tylophora, 47
Ulmus americana, 202
Umbelliferae from Peru, 189
Utricularia, 361; *coerulea*, 362
VAN FLEET, D. S.: Histochemical studies of phenolase and polyphenolase in the development of the endodermis in the genus *Smilax*, 9
Vanilla, 171
Vascular flora, an annotated preliminary catalogue of Rockland County, New York, 48, 126, 206, 310, 388, 450
Veronica myrtifolia, 171
Verticillium albo-atrum, 428
Viburnum acerfolium, 199, 200; *prunifolium*, 200, 201
Vicia, 77; *faba*, 217; *narbonensis*, 69; *sativa*, 69; *villosa*, 70
Vinca minor, 171
Vincetoxicum fuscatum, 47; *luteum*, 47; *medium*, 47; *nigrum*, 47
WAGNER, W. H. JR. AND ROBERT WHITMIRE: Spontaneous production of a Morphologically distinct, fertile allopolyploid by a sterile diploid of *Asplenium Ebenoides*, 79
WEAVER, J. E. AND F. W. ALBERTSON: Grasslands of the Great Plains (Review), 138
Werneria dactylophylla, 190
YAMPOLSKY, CECIL: Further experiments with male and female grafts of *Mercurialis annua*, 1
YUNCKER, T. G.: A new *Cuscata* from South Africa, 429; (Review), 456.